

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1559	370/235.ccls. and (@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/13 11:33
L2	3023	370/389.ccls. and (@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/13 11:33
L3	734	370/394.ccls. and (@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/13 11:33
L4	218	370/395.3.ccls. and (@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/13 11:33
L5	253	370/395.31.ccls. and (@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/13 11:33
L6	163	370/395.32.ccls. and (@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/13 11:33
L7	246	(@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930") and (router same ((sequenc\$3 or order) with packet\$2) same flow\$2 and (connectionless or IP NOT TCP))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/13 11:35

EAST Search History

L8	32	(@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930") and (router same ((sequenc\$3 or order) with packet\$2) same flow\$2 and (connectionless or IP NOT TCP)) and (370/235,389).ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/13 11:36
L9	41	(@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930") and (router same ((sequenc\$3 or order) with packet\$2) same flow\$2 and (connectionless or IP NOT TCP)) and (370/235,389,394,395.3,395.31,395.32).ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/13 12:09
L10	1	("6876654").PN.	USPAT; USOCR	OR	OFF	2007/10/13 11:54
L11	0	("20030037042").PN.	USPAT; USOCR	OR	OFF	2007/10/13 11:55
L12	1	("20030037042").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/10/13 11:55
L13	91	(@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930") and (router same (sequenc\$3 or order) same (connectionless) same (route\$2 or path\$2 or hop\$2))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/13 12:11
L14	16	(@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930") and (router same (sequenc\$3 or order) same (connectionless) same (route\$2 or path\$2 or hop\$2)) and ((eras\$4 or delet\$4 or remov\$4) with (route\$2 or path\$2 or hop\$2))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/13 12:14

EAST Search History

L15	0	(@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930") and (router same (sequenc\$3 or order) same (connectionless) same (route\$2 or path\$2 or hop\$2)).ab. and ((eras\$4 or delet\$4 or remov\$4) with (route\$2 or path\$2 or hop\$2))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/13 12:13
L16	16	(@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930") and (router same (sequenc\$3 or order) same (connectionless)) and ((eras\$4 or delet\$4 or remov\$4) with (route\$2 or path\$2 or hop\$2)) and ((stor\$2 or select\$3 or pick\$3) with (route\$2 or path\$2 or hop\$2))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/13 12:23
L17	325	(@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930") and ((eras\$4 or delet\$4 or remov\$4) with (route\$2 or path\$2 or hop\$2)) and ((stor\$2 or select\$3 or pick\$3) with (route\$2 or path\$2 or hop\$2)) same (flow\$2) and (connectionless or (IP not TCP))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/13 12:25
L18	85	(@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930") and ((eras\$4 or delet\$4 or remov\$4) with (route\$2 or path\$2 or hop\$2)) same (last or remain\$3 or zero or left) and ((stor\$2 or select\$3 or pick\$3) with (route\$2 or path\$2 or hop\$2)) same (flow\$2) and (connectionless or (IP not TCP))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/13 12:26

EAST Search History

L19	50	(@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930") and ((eras\$4 or delet\$4 or remov\$4) with (route\$2 or path\$2 or hop\$2)) same (last or remain\$3 or zero or left) and ((stor\$2 or select\$3 or pick\$3) with (route\$2 or path\$2 or hop\$2)) same (flow\$2) and (connectionless or (IP not TCP)) and "370".clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/13 12:28
L20	10	(@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930") and ((eras\$4 or delet\$4 or remov\$4) with (route\$2 or path\$2 or hop\$2)) same (last or remain\$3 or zero or left) same router and ((stor\$2 or select\$3 or pick\$3) with (route\$2 or path\$2 or hop\$2)) same (flow\$2) same router and (connectionless or (IP not TCP)) and "370".clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/13 12:41
L21	52	(@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930") and ((eras\$4 or delet\$4 or remov\$4) with (route\$2 or path\$2 or hop\$2)) same (last or remain\$3 or zero or left) same flow\$2 same router	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/13 12:41
L22	28	(@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930") and ((eras\$4 or delet\$4 or remov\$4) with (route\$2 or path\$2 or hop\$2)) same (last or remain\$3 or zero or left) same flow\$2 same router and ("370").clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/13 12:56

EAST Search History

L23	1	(@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930") and ((eras\$4 or delet\$4 or remov\$4) with (lookup or table or cache) same ((last or remain\$3 or zero or left) with flow\$2) same router) and ("370").clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/13 13:03
L24	4	(@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930") and ((eras\$4 or delet\$4 or remov\$4) with (lookup or table or cache or route\$2 or path\$2 or hop\$2) same ((last or remain\$3 or zero or left) with flow\$2) same router) and ("370"). clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/13 13:06
L25	120	(@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930") and ((eras\$4 or delet\$4 or remov\$4) with (lookup or table or cache or route\$2 or path\$2 or hop\$2) same flow same router) and ("370").clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/13 13:06
L26	6	(@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930") and ((eras\$4 or delet\$4 or remov\$4) with (lookup or table or cache or route\$2 or path\$2 or hop\$2 or entr\$3) same ((last or remain\$3 or zero or left) with flow\$2) same router) and ("370").clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/13 13:06
L27	127	(@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930") and ((eras\$4 or delet\$4 or remov\$4) with (lookup or table or cache or route\$2 or path\$2 or hop\$2 or entr\$3) same flow same router) and ("370").clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/13 13:24
L28	1	("7103708").PN.	USPAT; USOCR	OR	OFF	2007/10/13 13:12

EAST Search History

L29	12670	(@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930") and (cam\$2 with flow\$2)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/13 13:25
L30	189	(@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930") and (cam\$2 with flow\$2) and "370".clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/13 13:26
L31	388	(@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930") and ((cam\$2 or (content address\$4 memor\$4)) with flow\$2) same (eras\$4 or delet\$4 or remov\$4) and "370".clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/13 13:29
L32	55	(@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930") and ((cam\$2 or (content address\$4 memor\$4)) with flow\$2) same (eras\$4 or delet\$4 or remov\$4) with (path\$2 or rout\$4 or hop\$2) and "370".clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/13 13:30
L33	1	(@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930") and ((cam\$2 or (content address\$4 memor\$4)) with flow\$2) same (eras\$4 or delet\$4 or remov\$4) with (path\$2 or rout\$4 or hop\$2) and "370".clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/13 13:38
L34	2066	(@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930") and (flow\$2 with (table\$2 or cache\$2) with (route\$2 or path\$2 or hop\$2))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/13 13:39

EAST Search History

L35	551	(@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930") and (flow\$2 with (table\$2 or cache\$2) with (route\$2 or path\$2 or hop\$2)) and "370".clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/13 13:40
L36	16	(@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930") and (flow\$2 with (table\$2 or cache\$2) with (route\$2 or path\$2 or hop\$2) with (eras\$2 or remov\$2 or delet\$3)) and "370".clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/13 14:07
L37	36	(@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930") and (flow\$2 with (table\$2 or cache\$2) with (route\$2 or path\$2 or hop\$2) same (eras\$2 or remov\$2 or delet\$3)) and "370".clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/13 14:08
L38	20	(@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930") and (flow\$2 with (table\$2 or cache\$2) with (route\$2 or path\$2 or hop\$2) same (eras\$2 or remov\$2 or delet\$3)) and "370".clas. not 36	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/13 14:12
L39	5	(@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930") and (remain\$ with packet\$2) with flow with (eras\$3 or delet\$3 or remov\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/13 14:15
L40	339	(@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930") and (remain\$ with packet\$2) with flow	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/13 14:16

EAST Search History

L41	219	(@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930") and (remain\$ with packet\$2) with flow and "370". clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/13 14:21
L42	18	(@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930") and (remain\$ with packet\$2) with flow\$2 same (eras\$5 or delet\$2 or remov\$2) and "370".clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/13 14:31
L43	116	(@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930") and (no\$2 with packet\$2) with flow\$2 same (eras\$5 or delet\$2 or remov\$2) and "370".clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/13 14:38
L44	44	(@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930") and (no\$2 with packet\$2) with flow\$2 with (eras\$5 or delet\$2 or remov\$2) and "370". clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/13 14:38
L45	25	(@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930") and (no with packet\$2) with flow\$2 with (eras\$5 or delet\$2 or remov\$2) and "370". clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/13 14:39
L46	39	(@ad<"20020930" or @pd<"20020930" or @rlan<"20020930" or @rlad<"20020930" or @rlpn<"20020930") and (updat\$3 with time with packet\$2 with (receiv\$5 or arrival\$3) with flow\$2)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/10/13 15:11